

REJUVRA™

Version 3.0 / USA 102000023686

1/11 Revision Date: 05/04/2020 Print Date: 06/02/2020

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name	REJUVRA™
Product code (UVP)	79930208
SDS Number	102000023686
EPA Registration No.	432-1609

Relevant identified uses of the substance or mixture and uses advised against

Use	Herbicide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Bayer Environmental Science A division of Bayer CropScience LP 500 Centregreen Way, Suite 400 Cary, NC 27513 USA
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.	
Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
Product Information Telephone Number	1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200 Specific target organ toxicity - repeated exposure: Category 2 Specific target organ toxicity - single exposure: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

Hazard statements May cause damage to organs (Nervous system) through prolonged or repeated



REJUVRA™

Version 3.0 / USA 102000023686

2/11 Revision Date: 05/04/2020 Print Date: 06/02/2020

exposure if swallowed. May cause damage to organs (Nervous system) if swallowed.

Precautionary statements

Do not breathe spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed or concerned: Call a POISON CENTER/ doctor/ physician. Store locked up. Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name Indaziflam **CAS-No.** 950782-86-2 Concentration % by weight 19.05

SECTION 4: FIRST AID MEASURES

Description of first aid measures		
General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.	
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.	
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.	
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.	
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No symptoms known or expected.	
Indication of any immediate medical attention and special treatment needed		

REJUVRA™

Version 3.0 / USA 102000023686



3/11 Revision Date: 05/04/2020 Print Date: 06/02/2020

Treatment

Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media	
Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet
Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx)
Advice for firefighters	
Special protective equipment for firefighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.
Auto-ignition temperature	> 500 °C / > 932 °F The product is not self-ignitable.
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact
	with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.



REJUVRA™

Version 3.0 / USA 102000023686

Additional advice	Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.
Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.	
Hygiene measures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.	
Conditions for safe storage, including any incompatibilities		
Requirements for storage areas and containers	Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.	

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Indaziflam	950782-86-2	0.56 mg/m3		OES BCS*
		(TWA)		

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection Chemical resistant nitrile rubber gloves

REJUVRA™

Version 3.0 / USA 102000023686



5/11 Revision Date: 05/04/2020 Print Date: 06/02/2020

Eye protection	Safety glasses with side-shields
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white
Physical State	suspension
Odor	characteristic
Odour Threshold	No data available
рН	9.0 - 10.0 (100 %) (23 °C)
Viscosity, kinematic	113 mm ² /s20 °CShear rate of 20/sec 98 mm ² /s40 °CShear rate of 20/sec 57 mm ² /s20 °CShear rate of 100/sec 40 mm ² /s40 °CShear rate of 100/sec
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Specific Gravity	1.051 (20 °C) 1.044 (40 °C)
Density	ca. 1.05 g/cm³ (20 °C)
Evaporation rate	No data available
Boiling Point	No data available
Melting / Freezing Point	No data available
Water solubility	dispersible
Minimum Ignition Energy	Not applicable
Decomposition temperature	Stable under normal conditions.
Self-accelarating decomposition temperature (SADT)	No data available
Partition coefficient: n- octanol/water	No data available
Viscosity	30 - 75 mPa.s (20 °C) Velocity gradient 100 /s 80 - 180 mPa.s (20 °C) Velocity gradient 20 /s
Flammability	No data available

REJUVRA™

Version 3.0 / USA 102000023686



6/11 Revision Date: 05/04/2020 Print Date: 06/02/2020

Oxidizing properties	No oxidizing properties
Flash point	$>$ 100 $^{\circ}\text{C}$ No flash point - Determination conducted up to the boiling point.
Auto-ignition temperature	> 500 °C / > 932 °F The product is not self-ignitable.
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Particle size	No data available
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No incompatible materials known.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Inhalation, Skin Absorption, Ingestion		
Immediate Effects Eye	May cause slight irritation.		
Skin	Harmful if absorbed through skin.		
Ingestion	Harmful if swallowed.		
Inhalation	Harmful if inhaled.		
Information on toxicological effects			
Acute oral toxicity	LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation.		

REJUVRA™

Version 3.0 / USA 102000023686



7/11 Revision Date: 05/04/2020 Print Date: 06/02/2020

Acute inhalation toxicity	LC50 (Rat) >= 3.624 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. Highest attainable concentration. Test conducted with a similar formulation.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	No skin irritation (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Guinea pig) Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity - single exposure

Indaziflam: May cause damage to organs in nervous system following oral route.

Assessment STOT Specific target organ toxicity – repeated exposure

Indaziflam caused neurobehavioral effects and/or neuropathological changes in subchronic studies in rats and dogs. Indaziflam: May cause damage to organs (Nervous system) through prolonged or repeated exposure.

Assessment mutagenicity

Indaziflam was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Indaziflam was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH
None.
NTP
None.
IARC
None.
OSHA
None.

Assessment toxicity to reproduction

Indaziflam was not a primary reproductive toxicant in a two-generation study in rats.

Assessment developmental toxicity

Indaziflam did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.



REJUVRA™

Version 3.0 / USA 102000023686 **8/11** Revision Date: 05/04/2020 Print Date: 06/02/2020

Further information

Acute toxicity studies have not been performed on this product as formulated. Acute toxicity studies have been bridged from a similar formulation(s). The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.85 mg/l Exposure time: 96 h Test conducted with a similar formulation.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 149 mg/l Exposure time: 48 h
Toxicity to aquatic plants	EC50 (Skeletonema costatum) 0.603 mg/l Growth rate; Exposure time: 96 h
	NOEC (Skeletonema costatum) 0.125 mg/l Growth rate; Exposure time: 96 h
	EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.750 mg/l Growth rate; Exposure time: 72 h
	EC50 (Lemna gibba (gibbous duckweed)) 0.000712 mg/l Growth rate; Exposure time: 7 d
Biodegradability	Indaziflam: Not rapidly biodegradable
Кос	Indaziflam: Koc: 496
Bioaccumulation	Indaziflam: Bioconcentration factor (BCF) 66 Does not bioaccumulate.
Mobility in soil	Indaziflam: Moderately mobile in soils
Additional ecological information	No other effects to be mentioned.
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

REJUVRA™

Version 3.0 / USA 102000023686

Product	Dispose in accordance with all local, state/provincial and federal regulations.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material		
IMDG UN number Class Packaging group Marine pollutant Proper shipping name	3082 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (INDAZIFLAM SOLUTION)		
IATA UN number Class Packaging group Environm. Hazardous Mark Proper shipping name	3082 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (INDAZIFLAM SOLUTION)		

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1609



REJUVRA™

Version 3.0 / USA 102000023686

10/11 Revision Date: 05/04/2020 Print Date: 06/02/2020

US Federal Regulations
TSCA list
Water 7732-18-5
1,2-Propanediol 57-55-6
US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)
No export notification needs to be made.
SARA Title III - Section 302 - Notification and Information
Not applicable.
SARA Title III - Section 313 - Toxic Chemical Release Reporting
None.

US States Regulatory Reporting CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

57-55-6

MN, RI

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word:

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.

Caution!

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified



REJUVRA™

Version 3.0 / USA 102000023686

11/11 Revision Date: 05/04/2020 Print Date: 06/02/2020

NTP	US. National Toxicology Program (NTP) Report on Carcinogens				
OECD	Organization for E	Organization for Economic Co-operation and Development			
TDG	Transportation of [Transportation of Dangerous Goods			
TWA	Time weighted ave	Time weighted average			
UN	United Nations	United Nations			
WHO	World health organisation				
NFPA 704 (National Fire Protection Association):					
Health - 1	Flammability - 1	Instability - 0	Others - none		

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)Health - 1Flammability - 1Physical Hazard - 0PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 11: Toxicological Information. Section 12. Ecological information. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 05/04/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.